

THE ULTIMATE EXPERIENCE

UMass Safety Summit Collision MITIGATION

Safety

Robert Buchwalter, Prevost Car

Service Training | Autumn 2019



Energizer

Knowledge is like peanut butter. It's better if you spread it around.

Sixty seconds of encouragement after a failure is worth more than an hour of praise after an accomplishment.



Safety First!!


- This means:
- Communication! Don't assume people know best practices. It is our responsibility to educate them...and document that education/training!
- Read the manuals! Safety Data Sheets, OEM info
- Obtain the proper manual and follow the safety instructions and procedures list contained therein.
- Make sure EVERYTHING is in proper working order before you trust your life to it.



Sources used in preparing this document

• <u>www.prevostcar.com</u> for manuals, schematics, pneumatic diagrams

- www.bendix.com for specific additional information
- SERVICE DATA SHEET 13-3333 Bendix Wingman with ACB
- SERVICE DATA SHEET 61-4960 Bendix Wingman Advanced





MPH vs Feet per Second



Feet per second

MILES PER HOUR	FEET PER SECOND
35	
40	
45	
50	
55	
60	
65	
70	

7 UMass Safety Summit 2019 Service Training | Autumn 2019





Why is the driver seat important? What does it have to do with Collison Mitigation?



OPERATOR'S MANUAL X3-45 COACH




PA1581



Operator Interface and the driver seat

From our Operator's Manual

PNEUMATIC ISRI SEAT



10 UMass Safety Summit 2019 Service Training | Autumn 2019

Feet per second

MILES PER HOUR	FEET PER SECOND
35	
40	
45	
50	
55	
60	
65	
70	



Technology Evolution: Brakes!



Earliest Known Braking System



How has wheel end brake pressure application evolved?

Service Brake Application-treadle valve/brake pedal

Anti-lock brakes (ABS) introduced in early 1990s.

Electronic stability systems were introduced in the early 2000s



BENDIX ABS, WINGMAN with ACB BENDIX WINGMAN ADVANCED



Evolution of the System



Bendix[®] Wingman[®] ACB (Active Cruise with Braking)

A WARNING

Improper use of the Wingman ACB system can result in a collision causing property damage, serious injuries, or death.

The driver is always responsible for the control and safe operation of the vehicle at all times. The Bendix Wingman ACB system does not replace the need for a skilled, alert professional driver, reacting appropriately and in a timely manner, and using safe driving practices.



FIGURE 4. WINCMANE DADAR SENSOR AND COVER

DESCRIPTION

The Wingman ACB system is an integrated combination of two features:

- Active cruise with braking, and
- Alerts (three types of alerts).

PART ONE: ACTIVE CRUISE WITH BRAKING

The active cruise with braking feature is an additional upgrade of ordinary cruise control. When using cruise control, the Wingman ACB system will maintain the set speed, and also will intervene, as needed, to help maintain a set following distance behind a detected forward vehicle.

Using a radar (with a range of approximately 500 feet) mounted to the front of the vehicle, the Wingman ACB system reacts to detected forward vehicles in the same lane, traveling in the same direction. See Figure 1.

The active cruise with braking feature is designed to help the driver maintain a set following distance between his vehicle and a detected forward vehicle when cruise control is set. See the gray "Radar Beam" area in Figure 2.

Service Data Bendix Bendix[®] Wingman[®] Advanced[™] System (FLR20[™] Sensor) MOUNTING RADAR SENSOR BRACKET Improper Advanced system ausing property damage, can resul vs responsible for the control on of the vehicle at all times. The Advanced System does not replace the or a skilled, alert professional driver, reacting FIGURE 1 - BENDIX® WINGMAN® FLR20" RADAR SENS AND COVER

If the vehicle also has a Bendix[™] AutoVue[®] FLC20[™] Camera. use the Bendix[®] Wingman[®] Fusion[™] Sy SD Sheet SD-61-4963 If your Bendix Wingman has a black "eyeball" (FLR use SD Sheet



PART ONE: ADAPTIVE CRUISE CONTROL WITH BRAKING

The adaptive cruise control with braking feature is an additional upgrade of ordinary cruise control. When using cruise control, the Wingman Advanced System will maintain the set speed, and also will intervene, as needed. to help maintain a set following distance hehind a detected

D-61-4960


Bendix Wingman


Where to find additional information about the Bendix® systems on your vehicle

- 1. Consult the vehicle manufacturer's documentation.
- Visit www.bendix.com for free downloads of the Service Data sheets listed below, or order paper copies of these publications from the Literature Center at www.bendix.com.
 - SD-13-3333 Bendix[®] Wingman[®] ACB Service Data Sheet
 - SD-13-4869 Bendix[®] EC-60[™] ABS/ATC/ESP Controllers (Advanced) Service Data Sheet
- Contact the Bendix Tech Team at techteam@bendix.com or call
 1-800-AIR-BRAKE (1-800-247-2725). Representatives are available Mon.-Fri. 8:00 a.m. to 6:00 p.m. EST.

The visual: Bendix Wingman with ACB (top); Bendix Wingman Advanced (bottom)

The Bendix[®] Wingman[®] ACB system reacts ONLY to vehicles moving in the same direction as your vehicle. The Wingman ACB system DOES NOT respond to side-to-side moving traffic, or oncoming traffic. The system WILL NOT slow your vehicle or provide an alert as you approach vehicles in these circumstances.





Don't expect ACB to cover every possible circumstance

Part One: All driving scenarios (Cruise is either "on" or "off")				
Situation	Typical System Indication/Alerts	Typical System Actions		
A broken-down vehicle is stationary in the lane in which the truck is traveling.	A Stationary Object Alert (SOA) may be issued up to (three) 3 seconds prior to impact.	None.		
A pedestrian, deer or dog runs in front of the truck.	None.	None.		
Another vehicle crosses the road perpendicular to your path of travel – such as at an intersection.	None.	None.		

System operation



Collision mitigation is *not* collision prevention

- It is the driver responsibility to drive and avoid collisions to the highest extent
- With FLR 20 Wingman Advanced Systems, collision mitigation is functional <u>whether the cruise is off or on</u> and if the vehicle is travelling above 15 mph.
- Collision mitigation can assist in reducing the severity of an impact
- Collision mitigation will not prevent collisions
- Collision mitigation will not function in the event of a Stationary Object---CM only occurs when the ACB has detected a Forward Detected Vehicle (FDV)

Which system do you have?

ABS? Wingman with ACB? Wingman Advanced? Close up look at features.




Close up on features-Alerts		
Feature	Bendix® Wingman [®] Advanced [™]	Bendix [®] Wingman [®] ACB
Alerts (are always available whether cruise control is engaged or not)		
 Following Distance Alerts – Audible and visual alerts which lets driver know when getting too close to forward vehicle 	$ $ \checkmark	$ $ \checkmark
Impact Alert – Audible and visual alert warning the driver that a collision with the forward vehicle is likely and that they should address the situation immediately	\checkmark	\checkmark
• Stationary Object Alerts – Audible and visual alert that provides driver up to 3.0		



23 UMass Safety Summit 2019 Service Training | Autumn 2019


Close up on features




Adaptive Cruise Control with braking (functions when cruise control is on and speed is set)

•	Reduces throttle to help the driver maintain a set following distance behind a forward vehicle	\checkmark	\checkmark
•	Engages engine retarder to help the driver maintain a set following distance behind a forward vehicle	\checkmark	\checkmark
•	Applies foundation brakes to help the driver maintain a set following distance behind a forward vehicle	\checkmark	$ $ \checkmark

Close up on features



Close up on Collision Mitigation



The *collision mitigation technology* adds additional braking power that may help drivers mitigate a potential rear-end collision by warning the driver first, then applying brakes if necessary when a forward collision is likely to happen. *The collision mitigation feature of Bendix Wingman Advanced is always available – whether or not vehicle cruise control is on and set.*

Know your fleet and share the information



Whizz Bang stuff-but we have mixed fleets!

As part of your driver training program, do you provide your drivers with an OEM Operator Manual?


■ If YES, great? Is there a regular review of it...on a semi-annual/annual basis?

- If NO, this ought to be part of the driver training curriculum.
- Checklist?



What's the take home? Different systems/different functions! We must:

- ENSURE our drivers are TRAINED and UNDERSTAND which system is on the coach they are assigned
- ENSURE our drivers UNDERSTAND the highest function is found on the Bendix Wingman Advanced System with Collision Mitigation Technology
- ENSURE our drivers UNDERSTAND what is meant by COLLISION MITIGATION
- ENSURE our drivers UNDERSTAND just because there is a radar antennae on the front of the vehicle does NOT mean it has collision mitigation technology. It might be Bendix Wingman with Adaptive Cruise with Braking.






ACB Radar Module A114A *disconnected*



31 UMass Safety Summit 2019 Service Training | Autumn 2019



This creates two problems:




The radar is inoperative

32 UMass Safety Summit 2019 Service Training | Autumn 2019

How do we know if we have a fault?

- Pop up message on Information Display -and/or-
- Drill down the Information Display to get to faults (Brake ECU)




33 UMass Safety Summit 2019 Service Training | Autumn 2019

We can also drill down into the Diagnostic Fault Codes menu



It is not unreasonable to assume:


A DL1 network problem could arise due change in ohms due to ice/snow/slush forming on the connector






Among the other issues that could arise:

Adaptative Cruise Control Radar



36 UMass Safety Summit 2019 Service Training | Autumn 2019

What is DL1? What could be affected? Drive Train Control



37 UMass Safety Summit 2019 Service Training | Autumn 2019

We can also look at ACB reports

Page 1 of 4

ACom® Diagnostics v6.14.2.0 EC-60 Diagnostics v2.8.0.0	EC60 EVENT R		01 Cleveland Street Elyria, CH 44035 800 AIR-BRAKE www.bendix.com
Make	Prev Customer	Model	X345
Year,ECU Manufacture Date	-, 12-03-26	VIN	D5352 (User)
Vehicle Configuration	-	ECU stored VIN	DC7353
Company	-	Vehicle Application	-
Technician	Buchwalter	Location	GDLTSVL
ECU Part Number	K038368	Product Family	EC60-adv
ABS Software Version	BB41062	Serial Number	5Q13120705
ESP Software Version	BB41065	ATC Configuration	Brake and Engine
Mud and Snow Switch	Mud and Snow	System Configuration	6S/5M
Retarder Configuration	Retarder Datalink	Steer Axle Configuration	Modified
Yaw Control	Enabled	Steer Axle Tire Size	487
RSP	Enabled	Rear Axle Configuration	Individual
Steer Angle Sensor	Standard	Rear Axle Tire Size	487
Yaw Control Sensor	Standard	Additional Axle Configuration	Axle Select Smart
Lateral Acceleration Sensor	Standard	Additional Axle Tire Size	492
Engine Hours	N/A	Wingman Configuration	ACB
HSA Configuration	Not Enabled	eTrac Configuration	Disabled
Difflock Status	Unavailable	BaudRate	9.6KB
PLC Support	Yes		

ACTIVE DTCs

file:///C:/Bendix/Acom%20Diagnostics/ACom6-EC60/Template/error_eventh_report.htm 2/2/2018

Software for Bendix ACB

Harter for ACom® Diagnostics 6.4

Bendix



ECU	Connection line	Protocol	Diagnostic Control
EC-60	SAE	J1587	Stort with ECU
Wingman		TP20	<u>S</u> tart with ECU
VORAD VS400/DIU	J1939	J1939	
EC-30	SAE	J1587	Start in demo <u>m</u> ode
EC-17	SAE	J1587	
ABS U1x	SAE	J1587	
ABS2×	SAE	J1587	Detect ECU
TABS6	SAE	J1587	
TABS6 Advanced	PLC	UDS over PLC	<u><u></u> <u>O</u>ptions</u>
TABS6 Adv MC	PLC	UDS over PLC	200
TABS6 MV MC	PLC	UDS over PLC	
TABS6 MV	PLC	UDS over PLC	
	5V CAN	UDS over CAN	
	5V CAN	UDS over CAN	
TABS6 Advanced	5V CAN	UDS over CAN	
TABS6 Adv MC	5V CAN	UDS over CAN	
EC-30T MC-30	SAE SAE	J1587 J1587	
A18	SAE	J1587	
A10	346	31307	

PREVOST

Diagnostic Software

Starter for ACom® Diagnostics 6.4





Starter for ACom® Diagnostics 6.4

		Ducto and	 Diagnostic Control
ECU	Connection line	Protocol	
EC-60	SAE	J1587	<u>S</u> tart with ECU
Wingman	CAN	TP20	3535
VORAD VS400/DIU	J1939	J1939	
EC-30	SAE	J1587	Start in demo <u>m</u> ode
EC-17	SAE	J1587	
ABS U1×	SAE	J1587	Q Detect ECU
ABS2x	SAE	J1587	
TABS6	SAE	J1587	
TABS6 Advanced	PLC	UDS over PLC	<u></u>
TABS6 Adv MC	PLC	UDS over PLC	South
TABS6 MV MC	PLC	UDS over PLC	
TABS6 MV	PLC	UDS over PLC	
TABS6 MV MC	5V CAN	UDS over CAN	
TABS6 MV	5V CAN	UDS over CAN	
TABS6 Advanced	5V CAN	UDS over CAN	
TABS6 Adv MC	5V CAN	UDS over CAN	
EC-30T	SAE	J1587	
MC-30	SAE	J1587	
A18	SAE	J1587	

THE ULTIMATE EXPERIENCE



